

ItemSpecification	Basic Rate	Total_Tax Amt 12%	Purchases Rate	Nigam Margin Amount 5%	Margin tax 18%	Total Selling Rate
"(700004438) ISI Mark PVC Pipe IS 4985: 2000 MAIN, Size - 50 mm"	61.74	7.41	69.15	3.087	0.55566	72.79266
"(700004439) ISI Mark PVC Pipe IS 4985: 2000 MAIN, Size - 63 mm"	67	8.04	75.04	3.35	0.603	78.993
"(700004440) ISI Mark PVC Pipe IS 4985: 2000 MAIN, Size - 75 mm"	86	10.32	96.32	4.3	0.774	101.394

"(700004441) ISI Mark PVC Pipe IS 4985: 2000 MAIN, Size - 90 mm"	133.31	16	149.31	6.6655	1.19979	157.1753
"(700004442) ISI Mark PVC Pipe IS 4985: 2000 MAIN, Size - 110 mm"	192.18	23.06	215.24	9.609	1.72962	226.5786
"(700004443) ISI Mark hdpe Pipe IS 4984: 2016 MAIN, Size - 50 mm"	76.38	9.17	85.55	3.819	0.68742	90.05642
"(700004444) ISI Mark hdpe Pipe IS 4984: 2016 MAIN, Size - 63 mm"	115	13.8	128.8	5.75	1.035	135.585

"(700004445) ISI Mark hdpe Pipe IS 4984: 2016 MAIN, Size - 75 mm"	150	18	168	7.5	1.35	176.85
"(700004446) ISI Mark hdpe Pipe IS 4984: 2016 MAIN, Size - 90 mm"	240	28.8	268.8	12	2.16	282.96
"(700004447) ISI Mark hdpe Pipe IS 4984: 2016 MAIN, Size - 110 mm"	359	43.08	402.08	17.95	3.231	423.261
"(700004448) ISI Marked LATERALS IS 12786:1989, Size - 12 mm"	6.38	0.77	7.15	0.319	0.05742	7.52642

"(700004449) ISI Marked LATERALS IS 12786:1989, Size - 16 mm"	9.62	1.15	10.77	0.481	0.08658	11.33758
"(700004450) ISI Marked LATERALS IS 12786:1989, Size - 20 mm"	13	1.56	14.56	0.65	0.117	15.327
"(700004451) ISI Marked LATERALS IS 12786:1989, Size - 25 mm"	20	2.4	22.4	1	0.18	23.58
"(700004452) ISI Marked LATERALS IS 12786:1989, Size - 32 mm"	36.5	4.38	40.88	1.825	0.3285	43.0335

"(700004453) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 20 CM CL-2"	11.79	1.41	13.2	0.5895	0.10611	13.89561
"(700004454) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 30 CM CL-2"	10.93	1.31	12.24	0.5465	0.09837	12.88487
"(700004455) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 40 CM CL-2"	10.7	1.28	11.98	0.535	0.0963	12.6113
"(700004456) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 50 CM CL-2"	10.35	1.24	11.59	0.5175	0.09315	12.20065

"(700004457) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 60 CM CL-2"	10.01	1.2	11.21	0.5005	0.09009	11.80059
"(700004458) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 75 CM CL-2"	9.89	1.19	11.08	0.4945	0.08901	11.66351
"(700004459) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 90 CM CL-3"	9.48	1.14	10.62	0.474	0.08532	11.17932
"(700004460) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 110 CM CL-3"	9.7	1.16	10.86	0.485	0.0873	11.4323

"(700004461) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 125 CM CL-3"	9.3	1.12	10.42	0.465	0.0837	10.9687
"(700004462) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 20 CM CL-2"	13.9	1.67	15.57	0.695	0.1251	16.3901
"(700004463) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 30 CM CL-2"	12.65	1.52	14.17	0.6325	0.11385	14.91635
"(700004464) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 40 CM CL-2"	12.31	1.48	13.79	0.6155	0.11079	14.51629

"(700004465) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 50 CM CL-2"	12	1.44	13.44	0.6	0.108	14.148
"(700004466) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 60 CM CL-2"	11.85	1.42	13.27	0.5925	0.10665	13.96915
"(700004467) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 75 CM CL-2"	11.73	1.41	13.14	0.5865	0.10557	13.83207
"(700004468) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 90 CM CL-3"	11.5	1.38	12.88	0.575	0.1035	13.5585

"(700004469) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 110 CM CL-3"	11.8	1.42	13.22	0.59	0.1062	13.9162
"(700004470) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 125 CM CL-3"	11.5	1.38	12.88	0.575	0.1035	13.5585
"(700004471) ISI Marked Dripper IS 13487: 1992 (Emitters), Size - 4 & 8 LPH - PC"	3.62	0.43	4.05	0.181	0.03258	4.26358
"(700004472) ISI Marked Dripper IS 13487: 1992 (Emitters), Size - 4 & 8 LPH- NPC"	4.6	0.55	5.15	0.23	0.0414	5.4214

"(700004473) Micro Tube, Size - 1.2 mm"	2.3	0.28	2.58	0.115	0.0207	2.7157
"(700004474) Micro Tube, Size - 2.0 mm"	2.8	0.34	3.14	0.14	0.0252	3.3052
"(700004475) Micro Tube, Size - 4.0 mm"	3.46	0.42	3.88	0.173	0.03114	4.08414
"(700004476) Micro Tube, Size - 6.0 mm"	4.54	0.54	5.08	0.227	0.04086	5.34786

"(700004477) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 10 m3/hr"	2810	337.2	3147.2	140.5	25.29	3312.99
"(700004478) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 20 m3/hr"	3586	430.32	4016.32	179.3	32.274	4227.894
"(700004479) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 25 m3/hr"	4045	485.4	4530.4	202.25	36.405	4769.055
"(700004480) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 30 m3/hr"	4350	522	4872	217.5	39.15	5128.65

"(700004481) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 40 m3/hr"	4580	549.6	5129.6	229	41.22	5399.82
"(700004482) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 50 m3/hr"	5266	631.92	5897.92	263.3	47.394	6208.614
"(700004483) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 60 m3/hr"	5943	713.16	6656.16	297.15	53.487	7006.797
"(700004484) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 10 m3/hr"	2000	240	2240	100	18	2358

"(700004485) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 20 m3/hr"	2200	264	2464	110	19.8	2593.8
"(700004486) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 25 m3/hr"	2300	276	2576	115	20.7	2711.7
"(700004487) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 30 m3/hr"	2500	300	2800	125	22.5	2947.5
"(700004488) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 40 m3/hr"	2650	318	2968	132.5	23.85	3124.35

"(700004489) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 50 m3/hr"	3650	438	4088	182.5	32.85	4303.35
"(700004490) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 60 m3/hr"	5900	708	6608	295	53.1	6956.1
"(700004491) Disc Filter IS 12785:1994 (Metal), Size - 10 m3/hr"	3980	477.6	4457.6	199	35.82	4692.42
"(700004492) Disc Filter IS 12785:1994 (Metal), Size - 20 m3/hr"	5950	714	6664	297.5	53.55	7015.05

"(700004493) Disc Filter IS 12785:1994 (Metal), Size - 25 m3/hr"	6215	745.8	6960.8	310.75	55.935	7327.485
"(700004494) Disc Filter IS 12785:1994 (Metal), Size - 30 m3/hr"	7374	884.88	8258.88	368.7	66.366	8693.946
"(700004495) Disc Filter IS 12785:1994 (Metal), Size - 40 m3/hr"	7921	950.52	8871.52	396.05	71.289	9338.859
"(700004496) Disc Filter IS 12785:1994 (Metal), Size - 50 m3/hr"	8346	1001.52	9347.52	417.3	75.114	9839.934

"(700004497) Disc Filter IS 12785:1994 (Metal), Size - 60 m3/hr"	8000	960	8960	400	72	9432
"(700004498) Disc Filter IS 12785:1994 (Plastic), Size - 10 m3/hr"	3986	478.32	4464.32	199.3	35.874	4699.494
"(700004499) Disc Filter IS 12785:1994 (Plastic), Size - 20 m3/hr"	5709.75	685.17	6394.92	285.4875	51.38775	6731.795
"(700004500) Disc Filter IS 12785:1994 (Plastic), Size - 25 m3/hr"	4070	488.4	4558.4	203.5	36.63	4798.53

"(700004501) Disc Filter IS 12785:1994 (Plastic), Size - 30 m3/hr"	4300	516	4816	215	38.7	5069.7
"(700004502) Disc Filter IS 12785:1994 (Plastic), Size - 40 m3/hr"	4890	586.8	5476.8	244.5	44.01	5765.31
"(700004503) Disc Filter IS 12785:1994 (Plastic), Size - 50 m3/hr"	5700	684	6384	285	51.3	6720.3
"(700004504) Disc Filter IS 12785:1994 (Plastic), Size - 60 m3/hr"	8000	960	8960	400	72	9432

"(700004505) Sand Filter IS: 14606:1998, Size - 10 m3/hr"	12127	1455.24	13582.24	606.35	109.143	14297.73
"(700004506) Sand Filter IS: 14606:1998, Size - 20 m3/hr"	17917	2150.04	20067.04	895.85	161.253	21124.14
"(700004507) Sand Filter IS: 14606:1998, Size - 25 m3/hr"	19705	2364.6	22069.6	985.25	177.345	23232.2
"(700004508) Sand Filter IS: 14606:1998, Size - 30 m3/hr"	23506	2820.72	26326.72	1175.3	211.554	27713.57

"(700004509) Sand Filter IS: 14606:1998, Size - 40 m3/hr"	23661.25	2839.35	26500.6	1183.063	212.9513	27896.61
"(700004510) Sand Filter IS: 14606:1998, Size - 50 m3/hr"	28727	3447.24	32174.24	1436.35	258.543	33869.13
"(700004511) Sand Filter IS: 14606:1998, Size - 80 m3/hr"	39390	4726.8	44116.8	1969.5	354.51	46440.81
"(700004512) Hydro cyclone, Size - 10 m3/hr"	5000	600	5600	250	45	5895

"(700004513) Hydro cyclone, Size - 20 m3/hr"	5091	610.92	5701.92	254.55	45.819	6002.289
"(700004514) Filter IS:14483:1997, Size - 25 m3/hr"	4183	501.96	4684.96	209.15	37.647	4931.757
"(700004515) Filter IS:14483:1997, Size - 30 m3/hr"	6900	828	7728	345	62.1	8135.1
"(700004516) Filter IS:14483:1997, Size - 40 m3/hr"	8100	972	9072	405	72.9	9549.9

"(700004517) Filter IS:14483:1997, Size - 50 m3/hr"	8300	996	9296	415	74.7	9785.7
"(700004518) Filter IS:14483:1997, Size - 80 m3/hr"	10000	1200	11200	500	90	11790
"(700004519) Control Valve PVC (single/ double union), Size - 50 mm"	541	64.92	605.92	27.05	4.869	637.839
"(700004520) Control Valve PVC (single/ double union), Size - 63 mm"	700	84	784	35	6.3	825.3

"(700004521) Control Valve PVC (single/ double union), Size - 75 mm"	950	114	1064	47.5	8.55	1120.05
"(700004522) Control Valve PVC (single/ double union), Size - 90 mm"	1200	144	1344	60	10.8	1414.8
"(700004523) Control Valve PVC (single/ double union), Size - 110 mm"	1500	180	1680	75	13.5	1768.5
"(700004524) Flush Valve, Size - 50 mm"	68	8.16	76.16	3.4	0.612	80.172

"(700004525) Flush Valve, Size - 63 mm"	89.46	10.74	100.2	4.473	0.80514	105.4781
"(700004526) Flush Valve, Size - 75 mm"	116.15	13.94	130.09	5.8075	1.04535	136.9429
"(700004527) Flush Valve, Size - 90 mm"	184	22.08	206.08	9.2	1.656	216.936
"(700004528) Flush Valve, Size - 110 mm"	225	27	252	11.25	2.025	265.275

"(700004529) By Pass Assembly, Size - 1.5"	1212	145.44	1357.44	60.6	10.908	1428.948
"(700004537) By Pass Assembly, Size - By Pass tee (Flange End) 2"	1070	128.4	1198.4	53.5	9.63	1261.53
"(700004538) By Pass Assembly, Size - By Pass Tee (Flange End) 2.5"	1300	156	1456	65	11.7	1532.7
"(700004539) By Pass Assembly, Size - By Pass Tee (Flange End) 3"	2100	252	2352	105	18.9	2475.9

"(700004540) By Pass Assembly, Size - By Pass Tee (Flange End) 4"	2400	288	2688	120	21.6	2829.6
"(700004541) By Pass Assembly, Size - By Pass Tee (Flange End) 5"	2700	324	3024	135	24.3	3183.3
"(700004542) By Pass Assembly, Size - 2"	530	63.6	593.6	26.5	4.77	624.87
"(700004543) By Pass Assembly, Size - 2.5"	650	78	728	32.5	5.85	766.35

"(700004544) By Pass Assembly, Size - 3"	790	94.8	884.8	39.5	7.11	931.41
"(700004545) By Pass Assembly, Size - 4"	990	118.8	1108.8	49.5	8.91	1167.21
"(700004546) Fertilizer Tank, Size - 30 Ltr"	4030	483.6	4513.6	201.5	36.27	4751.37
"(700004547) Fertilizer Tank, Size - 60 Ltr"	6909	829.08	7738.08	345.45	62.181	8145.711

"(700004548) Fertilizer Tank, Size - 90 Ltr"	9190	1102.8	10292.8	459.5	82.71	10835.01
"(700004549) Fertilizer Tank, Size - 120 Ltr"	11476	1377.12	12853.12	573.8	103.284	13530.2
"(700004550) Fertilizer Tank, Size - 160 Ltr"	13000	1560	14560	650	117	15327
"(700004551) Ventury Injector Assembly, Size - 2"	3200	384	3584	160	28.8	3772.8

"(700004552) Ventury Injector Assembly, Size - 2.5"	3600	432	4032	180	32.4	4244.4
"(700004553) Ventury Injector Assembly, Size - 3"	3896.2	467.54	4363.74	194.81	35.0658	4593.616
"(700004554) Ventury Injector Assembly, Size - 3.5"	4500	540	5040	225	40.5	5305.5
"(700004555) Ventury with Manifold, Size - 2"	3800	456	4256	190	34.2	4480.2

"(700004556) Ventury with Manifold, Size - 2.5"	4200	504	4704	210	37.8	4951.8
"(700004557) Ventury with Manifold, Size - 3"	5000	600	5600	250	45	5895
"(700004557) Ventury with Manifold, Size - 3"	5000	600	5600	250	45	5895
"(700004558) Ventury with Manifold, Size - 3.5"	7000	840	7840	350	63	8253

"(700004559) Header Assembly, Size - 2"	2950	354	3304	147.5	26.55	3478.05
"(700004560) Header Assembly, Size - 2.5"	3550	426	3976	177.5	31.95	4185.45
"(700004561) Header Assembly, Size - 3"	3800	456	4256	190	34.2	4480.2
"(700004562) Header Assembly, Size - 3.5"	6325	759	7084	316.25	56.925	7457.175

"(700004563) Header Assembly, Size - 4"	7297	875.64	8172.64	364.85	65.673	8603.163
"(700004564) Header Assembly, Size - 5"	8392	1007.04	9399.04	419.6	75.528	9894.168
"(700004565) Header Assembly, Size - 6"	9650	1158	10808	482.5	86.85	11377.35
"(700004566) Header Assembly, Size - Header Assembly-MS 2.5"	4885	586.2	5471.2	244.25	43.965	5759.415

"(700004567) Header Assembly, Size - Header Assembly-MS 2"	2680	321.6	3001.6	134	24.12	3159.72
"(700004568) Header Assembly, Size - Header Assembly-MS 3"	5650	678	6328	282.5	50.85	6661.35
"(700004570) Header Assembly, Size - Header Assembly-MS 4"	6190	742.8	6932.8	309.5	55.71	7298.01
"(700004571) Header Assembly, Size - Header Assembly-MS 5"	6690	802.8	7492.8	334.5	60.21	7887.51

"(700004572) Header Assembly, Size - Header Assembly-MS 6"	7500	900	8400	375	67.5	8842.5
"(700004573) Header Assembly, Size - Header Assembly-PP 2.5"	4800	576	5376	240	43.2	5659.2
"(700004574) Header Assembly, Size - Header Assembly-PP 2"	3400	408	3808	170	30.6	4008.6
"(700004575) Header Assembly, Size - Header Assembly-PP 3"	5600	672	6272	280	50.4	6602.4

"(700004577) Header Assembly, Size - Header Assembly-PP 4"	7050	846	7896	352.5	63.45	8311.95
"(700004578) Header Assembly, Size - Header Assembly - PP (With Throttle Valve) 2.5"	4500	540	5040	225	40.5	5305.5
"(700004579) Header Assembly, Size - Header Assembly - PP (with Throttle Valve) 2"	3200	384	3584	160	28.8	3772.8
"(700004580) Header Assembly, Size - Header Assembly - PP (With Throttle Valve) 3"	5500	660	6160	275	49.5	6484.5

"(700004582) Header Assembly, Size - Header Assembly - PP (With Throttle Valve) 4"	7000	840	7840	350	63	8253
"(700004583) Air Release valve, Size - 1/2"	262.92	31.55	294.47	13.146	2.36628	309.9823
"(700004584) Air Release valve, Size - 3/4"	130	15.6	145.6	6.5	1.17	153.27
"(700004585) Air Release valve, Size - 1"	130	15.6	145.6	6.5	1.17	153.27

"(700004586) Air Release valve, Size - 1.5"	718.75	86.25	805	35.9375	6.46875	847.4063
"(700004587) Air Release valve, Size - 2"	986.86	118.42	1105.28	49.343	8.88174	1163.505
"(700004588) Butter fly Valve, Size - 1.5"	585	70.2	655.2	29.25	5.265	689.715
"(700004589) Butter fly Valve, Size - 2"	665	79.8	744.8	33.25	5.985	784.035

"(700004590) Butter fly Valve, Size - 2.5"	875	105	980	43.75	7.875	1031.625
"(700004591) Butter fly Valve, Size - 3"	1025	123	1148	51.25	9.225	1208.475
"(700004592) Butter fly Valve, Size - 4"	1325	159	1484	66.25	11.925	1562.175
"(700004593) Butter fly Valve, Size - 5"	1550	186	1736	77.5	13.95	1827.45

"(700004594) Butter fly Valve, Size - 6"	1800	216	2016	90	16.2	2122.2
"(700004595) Pressure release Valve, Size - 1.5”"	2986	358.32	3344.32	149.3	26.874	3520.494
"(700004596) Pressure release Valve, Size - 2.0”"	3532.7	423.92	3956.62	176.635	31.7943	4165.049
"(700004597) Non Return Valve, Size - 2.0”"	720	86.4	806.4	36	6.48	848.88

"(700004598) Non Return Valve, Size - 2.5”"	900	108	1008	45	8.1	1061.1
"(700004599) Non Return Valve, Size - 3.0”"	2466.75	296.01	2762.76	123.3375	22.20075	2908.298
"(700004600) Non Return Valve, Size - 4.0”"	6800	816	7616	340	61.2	8017.2
"(700004601) Pressure Gauge, Size - 0-7 Kg/cm2 –2” Regular"	251	30.12	281.12	12.55	2.259	295.929

"(700004602) Pressure Gauge, Size - 0-7 Kg/cm2 – ” Glycerine"	457.7	54.92	512.62	22.885	4.1193	539.6243
"(700004603) Pressure Gauge, Size - 0-7 Kg/cm2 –2.5"	351.28	42.15	393.43	17.564	3.16152	414.1555
"(700004604) Pressure Gauge, Size - 0-7 Kg/cm2 –2.5"	655	78.6	733.6	32.75	5.895	772.245
"(700004605) Grommet, Size - 12 mm Rubber"	3.34	0.4	3.74	0.167	0.03006	3.93706

"(700004606) Grommet, Size - 16 mm Rubber"	3.45	0.41	3.86	0.1725	0.03105	4.06355
"(700004607) Grommet, Size - 20 mm Rubber"	3.68	0.44	4.12	0.184	0.03312	4.33712
"(700004608) Barbed Start Connector, Size - 12 mm"	3.34	0.4	3.74	0.167	0.03006	3.93706
"(700004609) Barbed Start Connector, Size - 16 mm"	3.45	0.41	3.86	0.1725	0.03105	4.06355

"(700004610) Barbed Start Connector, Size - 20 mm"	4.03	0.48	4.51	0.2015	0.03627	4.74777
"(700004611) Barbed Start Take off, Size - 12 mm"	3.34	0.4	3.74	0.167	0.03006	3.93706
"(700004612) Barbed Start Take off, Size - 16 mm"	3.45	0.41	3.86	0.1725	0.03105	4.06355
"(700004613) Barbed Start Take off, Size - 20 mm"	4.03	0.48	4.51	0.2015	0.03627	4.74777

"(700004614) Barbed Nipple / Joiner, Size - 12 mm"	2.97	0.36	3.33	0.1485	0.02673	3.50523
"(700004615) Barbed Nipple / Joiner, Size - 16 mm"	3	0.36	3.36	0.15	0.027	3.537
"(700004616) Barbed Nipple / Joiner, Size - 20 mm"	3.95	0.47	4.42	0.1975	0.03555	4.65305
"(700004617) Barbed Nipple / Joiner, Size - 17 x 17 mm"	3	0.36	3.36	0.15	0.027	3.537

"(700004618) Barbed Nipple / Joiner, Size - 13 x 13 mm"	3	0.36	3.36	0.15	0.027	3.537
"(700004619) Barbed End Cap, Size - 12 mm"	2.97	0.36	3.33	0.1485	0.02673	3.50523
"(700004620) Barbed End Cap, Size - 16 mm"	3	0.36	3.36	0.15	0.027	3.537
"(700004621) End plug, Size - End plug - 25 mm"	20	2.4	22.4	1	0.18	23.58

"(700004622) End plug, Size - End plug - 32 mm"	20	2.4	22.4	1	0.18	23.58
"(700004623) End plug, Size - End plug - 40 mm"	20	2.4	22.4	1	0.18	23.58
"(700004624) Lateral Cock, Size - 12mm"	6.5	0.78	7.28	0.325	0.0585	7.6635
"(700004625) Lateral Cock, Size - 16mm"	7.98	0.96	8.94	0.399	0.07182	9.41082

"(700004626) Lateral Cock, Size - 20mm"	12.77	1.53	14.3	0.6385	0.11493	15.05343
"(700004627) Lateral Cock, Size - 25mm"	19	2.28	21.28	0.95	0.171	22.401
"(700004628) Lateral Cock, Size - 32mm"	22.1	2.65	24.75	1.105	0.1989	26.0539
"(700004629) Lateral Cock, Size - 40mm"	24.7	2.96	27.66	1.235	0.2223	29.1173

"(700004630) Barbed Tee, Size - 12 mm"	3.62	0.43	4.05	0.181	0.03258	4.26358
"(700004631) Barbed Tee, Size - 16 mm"	4.6	0.55	5.15	0.23	0.0414	5.4214
"(700004632) Barbed Tee, Size - 20 mm"	5.78	0.69	6.47	0.289	0.05202	6.81102
"(700004633) Barbed Tee, Size - 25 mm"	6	0.72	6.72	0.3	0.054	7.074

"(700004634) Barbed Tee, Size - 32 mm"	7.92	0.95	8.87	0.396	0.07128	9.33728
"(700004635) Barbed Tee, Size - 40 mm"	8	0.96	8.96	0.4	0.072	9.432
"(700004636) Barbed Elbow, Size - 12 mm"	3.62	0.43	4.05	0.181	0.03258	4.26358
"(700004637) Barbed Elbow, Size - 16 mm"	4	0.48	4.48	0.2	0.036	4.716

"(700004638) Barbed Elbow, Size - 20 mm"	5.76	0.69	6.45	0.288	0.05184	6.78984
"(700004639) Threaded Elbow (Barbed), Size - 12 mm"	4.03	0.48	4.51	0.2015	0.03627	4.74777
"(700004640) Threaded Elbow (Barbed), Size - 16 mm"	4.6	0.55	5.15	0.23	0.0414	5.4214
"(700004641) Threaded Elbow (Barbed), Size - 20 mm"	8.9	1.07	9.97	0.445	0.0801	10.4951

"(700004642) Threaded Elbow (Barbed), Size - 25 mm"	11.82	1.42	13.24	0.591	0.10638	13.93738
"(700004643) Threaded Elbow (Barbed), Size - 32 mm"	14.74	1.77	16.51	0.737	0.13266	17.37966
"(700004644) Threaded Elbow (Barbed), Size - 40 mm"	17.66	2.12	19.78	0.883	0.15894	20.82194
"(700004645) Barbed Reducer, Size - Joiner 16 x 12 mm"	3	0.36	3.36	0.15	0.027	3.537

"(700004646) Barbed Reducer, Size - Elbow 16 x 12 mm"	3	0.36	3.36	0.15	0.027	3.537
"(700004647) Barbed Reducer, Size - Tee 16 x 12 mm"	4.03	0.48	4.51	0.2015	0.03627	4.74777
"(700004648) Barbed Reducer, Size - Reducer 16X12mm"	3	0.36	3.36	0.15	0.027	3.537
"(700004649) Barbed Reducer, Size - Reducer 17x12mm"	3	0.36	3.36	0.15	0.027	3.537

"(700004650) Barbed Reducer, Size - Reducer 17x16mm"	3	0.36	3.36	0.15	0.027	3.537
"(700004651) Barbed Valve, Size - 12 mm"	7.98	0.96	8.94	0.399	0.07182	9.41082
"(700004652) Barbed Valve, Size - 16 mm"	7.98	0.96	8.94	0.399	0.07182	9.41082
"(700004654) Micro Sprayer & Fogger, Size - Fogger without anti leak, Stake, 1m Extension tube and take off"	115	13.8	128.8	5.75	1.035	135.585

"(700004655) Micro Sprayer & Fogger, Size - Fogger with antileak, Stake, 1m Extension tube and take off"	110	13.2	123.2	5.5	0.99	129.69
"(700004660) Rain Guns, Size - Rain Gun 24 m radius throw"	86.93	10.43	97.36	4.3465	0.78237	102.4889
"(700004661) Rain Guns, Size - Rain Gun 30 m radius throw"	5450	654	6104	272.5	49.05	6425.55
"(700004662) Rain Guns, Size - Rain Gun 34 m radius throw"	9544	1145.28	10689.28	477.2	85.896	11252.38

"(700004665) Mini Sprinkler, Size - Double Nozzle (Full Circle)"	123.45	14.81	138.26	6.1725	1.11105	145.5436
"(700004666) Mini Sprinkler, Size - Double Nozzle (Part Circle)"	228.33	27.4	255.73	11.4165	2.05497	269.2015
"(700004667) Mini Sprinkler, Size - M/F Adaptor 1/2"	7.93	0.95	8.88	0.3965	0.07137	9.34787
"(700004669) Mini Sprinkler, Size - Male / Female Connector 32 mm x 1"	7.14	0.86	8	0.357	0.06426	8.42126

"(700004669) Mini Sprinkler, Size - Male / Female Connector 32 mm x 1"	7.14	0.86	8	0.357	0.06426	8.42126
"(700004670) Mini Sprinkler, Size - Plug (9/12mm)"	4	0.48	4.48	0.2	0.036	4.716
"(700004670) Mini Sprinkler, Size - Plug (9/12mm)"	4	0.48	4.48	0.2	0.036	4.716
"(700004671) Mini Sprinkler, Size - Installation Stake 1.2 m Long (8 mm Dia)"	120	14.4	134.4	6	1.08	141.48

"(700004672) Mini Sprinkler, Size - 8 mm Steel Rod ‐ Plain"	100	12	112	5	0.9	117.9
"(700004673) Mini Sprinkler, Size - 8 mm Steel Rod - Trishul Type"	118.45	14.21	132.66	5.9225	1.06605	139.6486
"(700004674) Compression Fittings, Size - Threaded Elbow 32 mm x1"	47.22	5.67	52.89	2.361	0.42498	55.67598
"(700004675) Compression Fittings, Size - Male Threaded Adapter 32 mm x 1"	88	10.56	98.56	4.4	0.792	103.752

"(700004676) Compression Fittings, Size - Coupler / Joiner 20 mm"	39.8	4.78	44.58	1.99	0.3582	46.9282
"(700004677) Compression Fittings, Size - Coupler / Joiner 32 mm"	47.9	5.75	53.65	2.395	0.4311	56.4761
"(700004678) Compression Fittings, Size - End Plug 32 mm"	5.73	0.69	6.42	0.2865	0.05157	6.75807
"(700004679) Compression Fittings, Size - Tee 32 mm x 1"	62.07	7.45	69.52	3.1035	0.55863	73.18213

"(700004680) Goof Plug / Dripper Plug, Size - -"	1	0.12	1.12	0.05	0.009	1.179
"(700004681) Crushed Sand for Sand Filter, Size - - "	24	2.88	26.88	1.2	0.216	28.296
"(700004682) Service Saddle, Size - Service Saddle 63 mm"	104.55	12.55	117.1	5.2275	0.94095	123.2685
"(700004683) Service Saddle, Size - Service Saddle 63 mm x 1/2"	69.18	8.3	77.48	3.459	0.62262	81.56162

"(700004684) Service Saddle, Size - Service Saddle 63 mm x 1"	92.97	11.16	104.13	4.6485	0.83673	109.6152
"(700004685) Service Saddle, Size - Service Saddle 63 mm x 1 1/4"	98.99	11.88	110.87	4.9495	0.89091	116.7104
"(700004686) Service Saddle, Size - Service Saddle 63 mm x 3/4"	83.24	9.99	93.23	4.162	0.74916	98.14116
"(700004687) Service Saddle, Size - Service Saddle 75 mm"	131.43	15.77	147.2	6.5715	1.18287	154.9544

"(700004688) Service Saddle, Size - Service Saddle 75 mm x 1/2"	72.43	8.69	81.12	3.6215	0.65187	85.39337
"(700004689) Service Saddle, Size - Service Saddle 75 mm x 1"	94.05	11.29	105.34	4.7025	0.84645	110.889
"(700004690) Service Saddle, Size - Service Saddle 75 mm x 1.5"	72.43	8.69	81.12	3.6215	0.65187	85.39337
"(700004691) Service Saddle, Size - Service Saddle 75 mm x 1.25"	131.43	15.77	147.2	6.5715	1.18287	154.9544

"(700004692) Service Saddle, Size - Service Saddle 90 mm"	191.18	22.94	214.12	9.559	1.72062	225.3996
"(700004693) Service Saddle, Size - Service Saddle 90 mm x 1/2"	84.32	10.12	94.44	4.216	0.75888	99.41488
"(700004694) Service Saddle, Size - Service Saddle 90 mm x 0.75"	81.08	9.73	90.81	4.054	0.72972	95.59372
"(700004695) Service Saddle, Size - Service Saddle 90 mm x 1"	110.26	13.23	123.49	5.513	0.99234	129.9953

"(700004696) Service Saddle, Size - Service Saddle 90 mm x 1.25"	148.1	17.77	165.87	7.405	1.3329	174.6079
"(700004697) Service Saddle, Size - Service Saddle 90 mm x 1.5"	191.18	22.94	214.12	9.559	1.72062	225.3996
"(700004698) Service Saddle, Size - Coupler 50 mm"	25.45	3.05	28.5	1.2725	0.22905	30.00155
"(700004699) Service Saddle, Size - Coupler 63 mm"	31.45	3.77	35.22	1.5725	0.28305	37.07555

"(700004700) Service Saddle, Size - Coupler 75 mm"	53.85	6.46	60.31	2.6925	0.48465	63.48715
"(700004701) Service Saddle, Size - Coupler 90 mm"	88.13	10.58	98.71	4.4065	0.79317	103.9097
"(700004702) Service Saddle, Size - Tee 50 mm"	75	9	84	3.75	0.675	88.425
"(700004703) Service Saddle, Size - Tee 63 mm"	85	10.2	95.2	4.25	0.765	100.215

"(700004704) Service Saddle, Size - Tee 75 mm"	122.6	14.71	137.31	6.13	1.1034	144.5434
"(700004705) Service Saddle, Size - Tee 90 mm"	198.35	23.8	222.15	9.9175	1.78515	233.8527
"(700004706) Service Saddle, Size - MTA 50 MM"	35.8	4.3	40.1	1.79	0.3222	42.2122
"(700004707) Service Saddle, Size - MTA 63 MM"	42.65	5.12	47.77	2.1325	0.38385	50.28635

"(700004708) Service Saddle, Size - MTA 75 MM"	57.7	6.92	64.62	2.885	0.5193	68.0243
"(700004709) Service Saddle, Size - MTA 90 MM"	89.2	10.7	99.9	4.46	0.8028	105.1628
"(700004710) Service Saddle, Size - FTA 50 MM"	43.55	5.23	48.78	2.1775	0.39195	51.34945
"(700004711) Service Saddle, Size - FTA 63 MM"	49.14	5.9	55.04	2.457	0.44226	57.93926

"(700004712) Service Saddle, Size - FTA 75 MM"	79.85	9.58	89.43	3.9925	0.71865	94.14115
"(700004713) Service Saddle, Size - FTA 90 MM"	96.6	11.59	108.19	4.83	0.8694	113.8894
Riser Pipe-GI ¾” Diameter x 100CM	126.67	15.2	141.87	6.3335	1.14003	149.3435
Riser Pipe-GI ¾” Diameter x 75CM	100	12	112	5	0.9	117.9

Sprinkler Bend- QAC 90 Degree 63 mm with Coupler	162	19.44	181.44	8.1	1.458	190.998
Sprinkler Bend- QAC 90 Degree 75 mm with Coupler	222	26.64	248.64	11.1	1.998	261.738
Sprinkler Bend- QAC 90 Degree 90 mm with Coupler	305	36.6	341.6	15.25	2.745	359.595
Sprinkler End plug-QAC HDPE 63 mm	65	7.8	72.8	3.25	0.585	76.635

Sprinkler End plug-QAC HDPE 75 mm	86	10.32	96.32	4.3	0.774	101.394
Sprinkler End plug-QAC HDPE 90 mm	108	12.96	120.96	5.4	0.972	127.332
Sprinkler Nozzle- GUN METALS IS 12232 Part-I 3/4" ; Minimum Radius 12 mm	378	45.36	423.36	18.9	3.402	445.662
Sprinkler pipe- QAC HDPE 63 mm x 3.2 kg/cm ²	558	66.96	624.96	27.9	5.022	657.882

Sprinkler pipe- QAC HDPE 75 mm x 2.5 kg/cm2	643	77.16	720.16	32.15	5.787	758.097
Sprinkler pipe- QAC HDPE 75 mm x 3.2 kg/cm2	700	84	784	35	6.3	825.3
Sprinkler pipe- QAC HDPE 90 mm x 2.5 kg/cm2	840	100.8	940.8	42	7.56	990.36
Sprinkler Pump connecting Nipple-QAC 63 mm	162	19.44	181.44	8.1	1.458	190.998

Sprinkler Pump connecting Nipple-QAC 75 mm	270	32.4	302.4	13.5	2.43	318.33
Sprinkler Pump connecting Nipple-QAC 90 mm	317.51	38.1	355.61	15.8755	2.85759	374.3431
Sprinkler saddle with foot Batten - QAC 63 mm with Coupler	243	29.16	272.16	12.15	2.187	286.497
Sprinkler saddle with foot Batten - QAC 75 mm with Coupler	309	37.08	346.08	15.45	2.781	364.311

Sprinkler saddle with foot Batten - QAC 90 mm with Coupler	378	45.36	423.36	18.9	3.402	445.662
Sprinkler Tee- QAC HDPE 63 mm With Coupler	195	23.4	218.4	9.75	1.755	229.905
Sprinkler Tee- QAC HDPE 75 mm With Coupler	313	37.56	350.56	15.65	2.817	369.027
Sprinkler Tee- QAC HDPE 90 mm With Coupler	368	44.16	412.16	18.4	3.312	433.872

(700004438) ISI Mark PVC Pipe IS 4985: 2000 MAIN, Size - 50 mm	61.74	7.41	69.15	3.087	0.55566	72.79266
(700004439) ISI Mark PVC Pipe IS 4985: 2000 MAIN, Size - 63 mm	67	8.04	75.04	3.35	0.603	78.993
(700004440) ISI Mark PVC Pipe IS 4985: 2000 MAIN, Size - 75 mm	86	10.32	96.32	4.3	0.774	101.394
(700004441) ISI Mark PVC Pipe IS 4985: 2000 MAIN, Size - 90 mm	133.31	16	149.31	6.6655	1.19979	157.1753

(700004442) ISI Mark PVC Pipe IS 4985: 2000 MAIN, Size - 110 mm	192.18	23.06	215.24	9.609	1.72962	226.5786
(700004443) ISI Mark hdpe Pipe IS 4984: 2016 MAIN, Size - 50 mm	76.38	9.17	85.55	3.819	0.68742	90.05642
(700004444) ISI Mark hdpe Pipe IS 4984: 2016 MAIN, Size - 63 mm	115	13.8	128.8	5.75	1.035	135.585
(700004445) ISI Mark hdpe Pipe IS 4984: 2016 MAIN, Size - 75 mm	150	18	168	7.5	1.35	176.85

(700004446) ISI Mark hdpe Pipe IS 4984: 2016 MAIN, Size - 90 mm	240	28.8	268.8	12	2.16	282.96
(700004447) ISI Mark hdpe Pipe IS 4984: 2016 MAIN, Size - 110 mm	359	43.08	402.08	17.95	3.231	423.261
(700004448) ISI Marked LATERALS IS 12786:1989, Size - 12 mm	6.38	0.77	7.15	0.319	0.05742	7.52642
(700004449) ISI Marked LATERALS IS 12786:1989, Size - 16 mm	9.62	1.15	10.77	0.481	0.08658	11.33758

(700004450) ISI Marked LATERALS IS 12786:1989, Size - 20 mm	13	1.56	14.56	0.65	0.117	15.327
(700004451) ISI Marked LATERALS IS 12786:1989, Size - 25 mm	20	2.4	22.4	1	0.18	23.58
(700004452) ISI Marked LATERALS IS 12786:1989, Size - 32 mm	36.5	4.38	40.88	1.825	0.3285	43.0335
(700004453) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 20 CM CL-2	11.79	1.41	13.2	0.5895	0.10611	13.89561

(700004454) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 30 CM CL-2	10.93	1.31	12.24	0.5465	0.09837	12.88487
(700004455) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 40 CM CL-2	10.7	1.28	11.98	0.535	0.0963	12.6113
(700004456) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 50 CM CL-2	10.35	1.24	11.59	0.5175	0.09315	12.20065
(700004457) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 60 CM CL-2	10.01	1.2	11.21	0.5005	0.09009	11.80059

(700004458) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 75 CM CL-2	9.89	1.19	11.08	0.4945	0.08901	11.66351
(700004459) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 90 CM CL-3	9.48	1.14	10.62	0.474	0.08532	11.17932
(700004460) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 110 CM CL-3	9.7	1.16	10.86	0.485	0.0873	11.4323
(700004461) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 12 MM: 2 to 4 lph, Size - 12 MM 125 CM CL-3	9.3	1.12	10.42	0.465	0.0837	10.9687

(700004462) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 20 CM CL-2	13.9	1.67	15.57	0.695	0.1251	16.3901
(700004463) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 30 CM CL-2	12.65	1.52	14.17	0.6325	0.11385	14.91635
(700004464) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 40 CM CL-2	12.31	1.48	13.79	0.6155	0.11079	14.51629
(700004465) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 50 CM CL-2	12	1.44	13.44	0.6	0.108	14.148

(700004466) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 60 CM CL-2	11.85	1.42	13.27	0.5925	0.10665	13.96915
(700004467) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 75 CM CL-2	11.73	1.41	13.14	0.5865	0.10557	13.83207
(700004468) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 90 CM CL-3	11.5	1.38	12.88	0.575	0.1035	13.5585
(700004469) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 110 CM CL-3	11.8	1.42	13.22	0.59	0.1062	13.9162

(700004470) ISI Marked Emitting Pipes (integral drip lateral) IS 13488:2008 16 MM: 2 to 4 lph, Size - 16 MM 125 CM CL-3	11.5	1.38	12.88	0.575	0.1035	13.5585
(700004471) ISI Marked Dripper IS 13487: 1992 (Emitters), Size - 4 & 8 LPH -PC	3.62	0.43	4.05	0.181	0.03258	4.26358
(700004472) ISI Marked Dripper IS 13487: 1992 (Emitters), Size - 4 & 8 LPH- NPC	4.6	0.55	5.15	0.23	0.0414	5.4214
(700004473) Micro Tube, Size - 1.2 mm	2.3	0.28	2.58	0.115	0.0207	2.7157

(700004474) Micro Tube, Size - 2.0 mm	2.8	0.34	3.14	0.14	0.0252	3.3052
(700004475) Micro Tube, Size - 4.0 mm	3.46	0.42	3.88	0.173	0.03114	4.08414
(700004476) Micro Tube, Size - 6.0 mm	4.54	0.54	5.08	0.227	0.04086	5.34786
(700004477) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 10 m3/hr	2810	337.2	3147.2	140.5	25.29	3312.99

(700004478) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 20 m3/hr	3586	430.32	4016.32	179.3	32.274	4227.894
(700004479) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 25 m3/hr	4045	485.4	4530.4	202.25	36.405	4769.055
(700004480) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 30 m3/hr	4350	522	4872	217.5	39.15	5128.65
(700004481) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 40 m3/hr	4580	549.6	5129.6	229	41.22	5399.82

(700004482) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 50 m3/hr	5266	631.92	5897.92	263.3	47.394	6208.614
(700004483) ISI Marked SCREEN FILTER IS 12785:1994 (Metal), Size - 60 m3/hr	5943	713.16	6656.16	297.15	53.487	7006.797
(700004484) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 10 m3/hr	2000	240	2240	100	18	2358
(700004485) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 20 m3/hr	2200	264	2464	110	19.8	2593.8

(700004486) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 25 m3/hr	2300	276	2576	115	20.7	2711.7
(700004487) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 30 m3/hr	2500	300	2800	125	22.5	2947.5
(700004488) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 40 m3/hr	2650	318	2968	132.5	23.85	3124.35
(700004489) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 50 m3/hr	3650	438	4088	182.5	32.85	4303.35

(700004490) ISI Marked SCREEN FILTER IS 12785:1994 (Plastic), Size - 60 m3/hr	5900	708	6608	295	53.1	6956.1
(700004491) Disc Filter IS 12785:1994 (Metal), Size - 10 m3/hr	3980	477.6	4457.6	199	35.82	4692.42
(700004492) Disc Filter IS 12785:1994 (Metal), Size - 20 m3/hr	5950	714	6664	297.5	53.55	7015.05
(700004493) Disc Filter IS 12785:1994 (Metal), Size - 25 m3/hr	6215	745.8	6960.8	310.75	55.935	7327.485

(700004494) Disc Filter IS 12785:1994 (Metal), Size - 30 m3/hr	7374	884.88	8258.88	368.7	66.366	8693.946
(700004495) Disc Filter IS 12785:1994 (Metal), Size - 40 m3/hr	7921	950.52	8871.52	396.05	71.289	9338.859
(700004496) Disc Filter IS 12785:1994 (Metal), Size - 50 m3/hr	8346	1001.52	9347.52	417.3	75.114	9839.934
(700004497) Disc Filter IS 12785:1994 (Metal), Size - 60 m3/hr	8000	960	8960	400	72	9432

(700004498) Disc Filter IS 12785:1994 (Plastic), Size - 10 m3/hr	3986	478.32	4464.32	199.3	35.874	4699.494
(700004499) Disc Filter IS 12785:1994 (Plastic), Size - 20 m3/hr	5709.75	685.17	6394.92	285.4875	51.38775	6731.795
(700004500) Disc Filter IS 12785:1994 (Plastic), Size - 25 m3/hr	4070	488.4	4558.4	203.5	36.63	4798.53
(700004501) Disc Filter IS 12785:1994 (Plastic), Size - 30 m3/hr	4300	516	4816	215	38.7	5069.7

(700004502) Disc Filter IS 12785:1994 (Plastic), Size - 40 m3/hr	4890	586.8	5476.8	244.5	44.01	5765.31
(700004503) Disc Filter IS 12785:1994 (Plastic), Size - 50 m3/hr	5700	684	6384	285	51.3	6720.3
(700004504) Disc Filter IS 12785:1994 (Plastic), Size - 60 m3/hr	8000	960	8960	400	72	9432
(700004505) Sand Filter IS: 14606:1998, Size - 10 m3/hr	12127	1455.24	13582.24	606.35	109.143	14297.73

(700004506) Sand Filter IS: 14606:1998, Size - 20 m3/hr	17917	2150.04	20067.04	895.85	161.253	21124.14
(700004507) Sand Filter IS: 14606:1998, Size - 25 m3/hr	19705	2364.6	22069.6	985.25	177.345	23232.2
(700004508) Sand Filter IS: 14606:1998, Size - 30 m3/hr	23506	2820.72	26326.72	1175.3	211.554	27713.57
(700004509) Sand Filter IS: 14606:1998, Size - 40 m3/hr	23661.25	2839.35	26500.6	1183.063	212.9513	27896.61

(700004510) Sand Filter IS: 14606:1998, Size - 50 m3/hr	28727	3447.24	32174.24	1436.35	258.543	33869.13
(700004511) Sand Filter IS: 14606:1998, Size - 80 m3/hr	39390	4726.8	44116.8	1969.5	354.51	46440.81
(700004512) Hydro cyclone, Size - 10 m3/hr	5000	600	5600	250	45	5895
(700004513) Hydro cyclone, Size - 20 m3/hr	5091	610.92	5701.92	254.55	45.819	6002.289

(700004514) Filter IS:14483:1997, Size - 25 m3/hr	4183	501.96	4684.96	209.15	37.647	4931.757
(700004515) Filter IS:14483:1997, Size - 30 m3/hr	6900	828	7728	345	62.1	8135.1
(700004516) Filter IS:14483:1997, Size - 40 m3/hr	8100	972	9072	405	72.9	9549.9
(700004517) Filter IS:14483:1997, Size - 50 m3/hr	8300	996	9296	415	74.7	9785.7

(700004518) Filter IS:14483:1997, Size - 80 m3/hr	10000	1200	11200	500	90	11790
(700004519) Control Valve PVC (single/ double union), Size - 50 mm	541	64.92	605.92	27.05	4.869	637.839
(700004520) Control Valve PVC (single/ double union), Size - 63 mm	700	84	784	35	6.3	825.3
(700004521) Control Valve PVC (single/ double union), Size - 75 mm	950	114	1064	47.5	8.55	1120.05

(700004522) Control Valve PVC (single/ double union), Size - 90 mm	1200	144	1344	60	10.8	1414.8
(700004523) Control Valve PVC (single/ double union), Size - 110 mm	1500	180	1680	75	13.5	1768.5
(700004524) Flush Valve, Size - 50 mm	68	8.16	76.16	3.4	0.612	80.172
(700004525) Flush Valve, Size - 63 mm	89.46	10.74	100.2	4.473	0.80514	105.4781

(700004526) Flush Valve, Size - 75 mm	116.15	13.94	130.09	5.8075	1.04535	136.9429
(700004527) Flush Valve, Size - 90 mm	184	22.08	206.08	9.2	1.656	216.936
(700004528) Flush Valve, Size - 110 mm	225	27	252	11.25	2.025	265.275
(700004529) By Pass Assembly, Size - 1.5	1212	145.44	1357.44	60.6	10.908	1428.948

(700004537) By Pass Assembly, Size - By Pass tee (Flange End) 2	1070	128.4	1198.4	53.5	9.63	1261.53
(700004538) By Pass Assembly, Size - By Pass Tee (Flange End) 2.5	1300	156	1456	65	11.7	1532.7
(700004539) By Pass Assembly, Size - By Pass Tee (Flange End) 3	2100	252	2352	105	18.9	2475.9
(700004540) By Pass Assembly, Size - By Pass Tee (Flange End) 4	2400	288	2688	120	21.6	2829.6

(700004541) By Pass Assembly, Size - By Pass Tee (Flange End) 5	2700	324	3024	135	24.3	3183.3
(700004542) By Pass Assembly, Size - 2	530	63.6	593.6	26.5	4.77	624.87
(700004543) By Pass Assembly, Size - 2.5	650	78	728	32.5	5.85	766.35
(700004544) By Pass Assembly, Size - 3	790	94.8	884.8	39.5	7.11	931.41

(700004545) By Pass Assembly, Size - 4	990	118.8	1108.8	49.5	8.91	1167.21
(700004546) Fertilizer Tank, Size - 30 Ltr	4030	483.6	4513.6	201.5	36.27	4751.37
(700004547) Fertilizer Tank, Size - 60 Ltr	6909	829.08	7738.08	345.45	62.181	8145.711
(700004548) Fertilizer Tank, Size - 90 Ltr	9190	1102.8	10292.8	459.5	82.71	10835.01

(700004549) Fertilizer Tank, Size - 120 Ltr	11476	1377.12	12853.12	573.8	103.284	13530.2
(700004550) Fertilizer Tank, Size - 160 Ltr	13000	1560	14560	650	117	15327
(700004551) Ventury Injector Assembly, Size - 2	3200	384	3584	160	28.8	3772.8
(700004552) Ventury Injector Assembly, Size - 2.5	3600	432	4032	180	32.4	4244.4

(700004553) Ventury Injector Assembly, Size - 3	3896.2	467.54	4363.74	194.81	35.0658	4593.616
(700004554) Ventury Injector Assembly, Size - 3.5	4500	540	5040	225	40.5	5305.5
(700004555) Ventury with Manifold, Size - 2	3800	456	4256	190	34.2	4480.2
(700004556) Ventury with Manifold, Size - 2.5	4200	504	4704	210	37.8	4951.8

(700004557) Ventury with Manifold, Size - 3	5000	600	5600	250	45	5895
(700004558) Ventury with Manifold, Size - 3.5	7000	840	7840	350	63	8253
(700004559) Header Assembly, Size - 2	2950	354	3304	147.5	26.55	3478.05
(700004560) Header Assembly, Size - 2.5	3550	426	3976	177.5	31.95	4185.45

(700004561) Header Assembly, Size - 3	3800	456	4256	190	34.2	4480.2
(700004562) Header Assembly, Size - 3.5	6325	759	7084	316.25	56.925	7457.175
(700004563) Header Assembly, Size - 4	7297	875.64	8172.64	364.85	65.673	8603.163
(700004564) Header Assembly, Size - 5	8392	1007.04	9399.04	419.6	75.528	9894.168

(700004565) Header Assembly, Size - 6	9650	1158	10808	482.5	86.85	11377.35
(700004566) Header Assembly, Size - Header Assembly-MS 2.5	4885	586.2	5471.2	244.25	43.965	5759.415
(700004567) Header Assembly, Size - Header Assembly-MS 2	2680	321.6	3001.6	134	24.12	3159.72
(700004568) Header Assembly, Size - Header Assembly-MS 3	5650	678	6328	282.5	50.85	6661.35

(700004570) Header Assembly, Size - Header Assembly-MS 4	6190	742.8	6932.8	309.5	55.71	7298.01
(700004571) Header Assembly, Size - Header Assembly-MS 5	6690	802.8	7492.8	334.5	60.21	7887.51
(700004572) Header Assembly, Size - Header Assembly-MS 6	7500	900	8400	375	67.5	8842.5
(700004573) Header Assembly, Size - Header Assembly-PP 2.5	4800	576	5376	240	43.2	5659.2

(700004574) Header Assembly, Size - Header Assembly-PP 2	3400	408	3808	170	30.6	4008.6
(700004575) Header Assembly, Size - Header Assembly-PP 3	5600	672	6272	280	50.4	6602.4
(700004577) Header Assembly, Size - Header Assembly-PP 4	7050	846	7896	352.5	63.45	8311.95
(700004578) Header Assembly, Size - Header Assembly - PP (With Throttle Valve) 2.5	4500	540	5040	225	40.5	5305.5

(700004579) Header Assembly, Size - Header Assembly - PP (with Throttle Valve) 2	3200	384	3584	160	28.8	3772.8
(700004580) Header Assembly, Size - Header Assembly - PP (With Throttle Valve) 3	5500	660	6160	275	49.5	6484.5
(700004582) Header Assembly, Size - Header Assembly - PP (With Throttle Valve) 4	7000	840	7840	350	63	8253
(700004583) Air Release valve, Size - 1/2	262.92	31.55	294.47	13.146	2.36628	309.9823

(700004584) Air Release valve, Size - 3/4	130	15.6	145.6	6.5	1.17	153.27
(700004585) Air Release valve, Size - 1	130	15.6	145.6	6.5	1.17	153.27
(700004586) Air Release valve, Size - 1.5	718.75	86.25	805	35.9375	6.46875	847.4063
(700004587) Air Release valve, Size - 2	986.86	118.42	1105.28	49.343	8.88174	1163.505

(700004588) Butter fly Valve, Size - 1.5	585	70.2	655.2	29.25	5.265	689.715
(700004589) Butter fly Valve, Size - 2	665	79.8	744.8	33.25	5.985	784.035
(700004590) Butter fly Valve, Size - 2.5	875	105	980	43.75	7.875	1031.625
(700004591) Butter fly Valve, Size - 3	1025	123	1148	51.25	9.225	1208.475

(700004592) Butter fly Valve, Size - 4	1325	159	1484	66.25	11.925	1562.175
(700004593) Butter fly Valve, Size - 5	1550	186	1736	77.5	13.95	1827.45
(700004594) Butter fly Valve, Size - 6	1800	216	2016	90	16.2	2122.2
(700004595) Pressure release Valve, Size - 1.5"	2986	358.32	3344.32	149.3	26.874	3520.494

(700004596) Pressure release Valve, Size - 2.0"	3532.7	423.92	3956.62	176.635	31.7943	4165.049
(700004597) Non Return Valve, Size - 2.0"	720	86.4	806.4	36	6.48	848.88
(700004598) Non Return Valve, Size - 2.5"	900	108	1008	45	8.1	1061.1
(700004599) Non Return Valve, Size - 3.0"	2466.75	296.01	2762.76	123.3375	22.20075	2908.298

(700004600) Non Return Valve, Size - 4.0";	6800	816	7616	340	61.2	8017.2
(700004601) Pressure Gauge, Size - 0-7 Kg/cm ² –2"; Regular	251	30.12	281.12	12.55	2.259	295.929
(700004602) Pressure Gauge, Size - 0-7 Kg/cm ² –2"; Glycerine	457.7	54.92	512.62	22.885	4.1193	539.6243
(700004603) Pressure Gauge, Size - 0-7 Kg/cm ² –2.5	351.28	42.15	393.43	17.564	3.16152	414.1555

(700004604) Pressure Gauge, Size - 0-7 Kg/cm2 –2.5	655	78.6	733.6	32.75	5.895	772.245
(700004605) Grommet, Size - 12 mm Rubber	3.34	0.4	3.74	0.167	0.03006	3.93706
(700004606) Grommet, Size - 16 mm Rubber	3.45	0.41	3.86	0.1725	0.03105	4.06355
(700004607) Grommet, Size - 20 mm Rubber	3.68	0.44	4.12	0.184	0.03312	4.33712

(700004608) Barbed Start Connector, Size - 12 mm	3.34	0.4	3.74	0.167	0.03006	3.93706
(700004609) Barbed Start Connector, Size - 16 mm	3.45	0.41	3.86	0.1725	0.03105	4.06355
(700004610) Barbed Start Connector, Size - 20 mm	4.03	0.48	4.51	0.2015	0.03627	4.74777
(700004611) Barbed Start Take off, Size - 12 mm	3.34	0.4	3.74	0.167	0.03006	3.93706

(700004612) Barbed Start Take off, Size - 16 mm	3.45	0.41	3.86	0.1725	0.03105	4.06355
(700004613) Barbed Start Take off, Size - 20 mm	4.03	0.48	4.51	0.2015	0.03627	4.74777
(700004614) Barbed Nipple / Joiner, Size - 12 mm	2.97	0.36	3.33	0.1485	0.02673	3.50523
(700004615) Barbed Nipple / Joiner, Size - 16 mm	3	0.36	3.36	0.15	0.027	3.537

(700004616) Barbed Nipple / Joiner, Size - 20 mm	3.95	0.47	4.42	0.1975	0.03555	4.65305
(700004617) Barbed Nipple / Joiner, Size - 17 x 17 mm	3	0.36	3.36	0.15	0.027	3.537
(700004618) Barbed Nipple / Joiner, Size - 13 x 13 mm	3	0.36	3.36	0.15	0.027	3.537
(700004619) Barbed End Cap, Size - 12 mm	2.97	0.36	3.33	0.1485	0.02673	3.50523

(700004620) Barbed End Cap, Size - 16 mm	3	0.36	3.36	0.15	0.027	3.537
(700004621) End plug, Size - End plug - 25 mm	20	2.4	22.4	1	0.18	23.58
(700004622) End plug, Size - End plug - 32 mm	20	2.4	22.4	1	0.18	23.58
(700004623) End plug, Size - End plug - 40 mm	20	2.4	22.4	1	0.18	23.58

(700004624) Lateral Cock, Size - 12mm	6.5	0.78	7.28	0.325	0.0585	7.6635
(700004625) Lateral Cock, Size - 16mm	7.98	0.96	8.94	0.399	0.07182	9.41082
(700004626) Lateral Cock, Size - 20mm	12.77	1.53	14.3	0.6385	0.11493	15.05343
(700004627) Lateral Cock, Size - 25mm	19	2.28	21.28	0.95	0.171	22.401

(700004628) Lateral Cock, Size - 32mm	22.1	2.65	24.75	1.105	0.1989	26.0539
(700004629) Lateral Cock, Size - 40mm	24.7	2.96	27.66	1.235	0.2223	29.1173
(700004630) Barbed Tee, Size - 12 mm	3.62	0.43	4.05	0.181	0.03258	4.26358
(700004631) Barbed Tee, Size - 16 mm	4.6	0.55	5.15	0.23	0.0414	5.4214

(700004632) Barbed Tee, Size - 20 mm	5.78	0.69	6.47	0.289	0.05202	6.81102
(700004633) Barbed Tee, Size - 25 mm	6	0.72	6.72	0.3	0.054	7.074
(700004634) Barbed Tee, Size - 32 mm	7.92	0.95	8.87	0.396	0.07128	9.33728
(700004635) Barbed Tee, Size - 40 mm	8	0.96	8.96	0.4	0.072	9.432

(700004636) Barbed Elbow, Size - 12 mm	3.62	0.43	4.05	0.181	0.03258	4.26358
(700004637) Barbed Elbow, Size - 16 mm	4	0.48	4.48	0.2	0.036	4.716
(700004638) Barbed Elbow, Size - 20 mm	5.76	0.69	6.45	0.288	0.05184	6.78984
(700004639) Threaded Elbow (Barbed), Size - 12 mm	4.03	0.48	4.51	0.2015	0.03627	4.74777

(700004640) Threaded Elbow (Barbed), Size - 16 mm	4.6	0.55	5.15	0.23	0.0414	5.4214
(700004641) Threaded Elbow (Barbed), Size - 20 mm	8.9	1.07	9.97	0.445	0.0801	10.4951
(700004642) Threaded Elbow (Barbed), Size - 25 mm	11.82	1.42	13.24	0.591	0.10638	13.93738
(700004643) Threaded Elbow (Barbed), Size - 32 mm	14.74	1.77	16.51	0.737	0.13266	17.37966

(700004644) Threaded Elbow (Barbed), Size - 40 mm	17.66	2.12	19.78	0.883	0.15894	20.82194
(700004645) Barbed Reducer, Size - Joiner 16 x 12 mm	3	0.36	3.36	0.15	0.027	3.537
(700004646) Barbed Reducer, Size - Elbow 16 x 12 mm	3	0.36	3.36	0.15	0.027	3.537
(700004647) Barbed Reducer, Size - Tee 16 x 12 mm	4.03	0.48	4.51	0.2015	0.03627	4.74777

(700004648) Barbed Reducer, Size - Reducer 16X12mm	3	0.36	3.36	0.15	0.027	3.537
(700004649) Barbed Reducer, Size - Reducer 17x12mm	3	0.36	3.36	0.15	0.027	3.537
(700004650) Barbed Reducer, Size - Reducer 17x16mm	3	0.36	3.36	0.15	0.027	3.537
(700004651) Barbed Valve, Size - 12 mm	7.98	0.96	8.94	0.399	0.07182	9.41082

(700004652) Barbed Valve, Size - 16 mm	7.98	0.96	8.94	0.399	0.07182	9.41082
(700004653) Micro Sprayer & Fogger, Size - Micro Jets / Micro Sprays of Jet/Sprays, Stake, 1m Extension tube	130	15.6	145.6	6.5	1.17	153.27
(700004654) Micro Sprayer & Fogger, Size - Fogger without anti leak, Stake, 1m Extension tube and take off	115	13.8	128.8	5.75	1.035	135.585
(700004655) Micro Sprayer & Fogger, Size - Fogger with antileak, Stake, 1m Extension tube and take off	110	13.2	123.2	5.5	0.99	129.69

(700004656) Micro Sprayer & Fogger, Size - 1 way fogger with 30 cm soft pvc tube + stablizer + pin connector + LPD	118.91	14.27	133.18	5.9455	1.07019	140.1957
(700004657) Micro Sprayer & Fogger, Size - 2 way fogger with 30 cm soft pvc tube + stablizer + pin connector + LPD	130	15.6	145.6	6.5	1.17	153.27
(700004658) Micro Sprayer & Fogger, Size - 4 way fogger with 30 cm soft pvc tube + stablizer + pin connector + LPD	160	19.2	179.2	8	1.44	188.64
(700004659) Rain Guns, Size - PC Pressure-3, Kg/cm2, PPR-13.5 mm/Hr, Spacing- 48 Mtr, QCV & Key, Saddle, Tripod Stand Fogger with anti-leak, Stake,	750	90	840	37.5	6.75	884.25

(700004660) Rain Guns, Size - Rain Gun 24 m radius throw	86.93	10.43	97.36	4.3465	0.78237	102.4889
(700004661) Rain Guns, Size - Rain Gun 30 m radius throw	5450	654	6104	272.5	49.05	6425.55
(700004662) Rain Guns, Size - Rain Gun 34 m radius throw	9544	1145.28	10689.28	477.2	85.896	11252.38
(700004663) Rain Guns, Size - Rain gun Tripod Stand 4 Leg (1.5mtr Height)	4250	510	4760	212.5	38.25	5010.75

(700004664) Rain Guns, Size - Rain gun Riser Stand 4 Leg (2 mtr Height)	4850	582	5432	242.5	43.65	5718.15
(700004665) Mini Sprinkler, Size - Double Nozzle (Full Circle)	123.45	14.81	138.26	6.1725	1.11105	145.5436
(700004666) Mini Sprinkler, Size - Double Nozzle (Part Circle)	228.33	27.4	255.73	11.4165	2.05497	269.2015
(700004667) Mini Sprinkler, Size - M/F Adaptor 1/2	7.93	0.95	8.88	0.3965	0.07137	9.34787

(700004668) Mini Sprinkler, Size - Extension / Connecting Tube (1.2 mm Long) -13 mm	40.17	4.82	44.99	2.0085	0.36153	47.36003
(700004669) Mini Sprinkler, Size - Male / Female Connector 32 mm x 1	7.14	0.86	8	0.357	0.06426	8.42126
(700004670) Mini Sprinkler, Size - Plug (9/12mm)	4	0.48	4.48	0.2	0.036	4.716
(700004671) Mini Sprinkler, Size - Installation Stake 1.2 m Long (8 mm Dia)	120	14.4	134.4	6	1.08	141.48

(700004672) Mini Sprinkler, Size - 8 mm Steel Rod ‐ Plain	100	12	112	5	0.9	117.9
(700004673) Mini Sprinkler, Size - 8 mm Steel Rod - Trishul Type	118.45	14.21	132.66	5.9225	1.06605	139.6486
(700004674) Compression Fittings, Size - Threaded Elbow 32 mm x1	47.22	5.67	52.89	2.361	0.42498	55.67598
(700004675) Compression Fittings, Size - Male Threaded Adapter 32 mm x 1	88	10.56	98.56	4.4	0.792	103.752

(700004676) Compression Fittings, Size - Coupler / Joiner 20 mm	39.8	4.78	44.58	1.99	0.3582	46.9282
(700004677) Compression Fittings, Size - Coupler / Joiner 32 mm	47.9	5.75	53.65	2.395	0.4311	56.4761
(700004678) Compression Fittings, Size - End Plug 32 mm	5.73	0.69	6.42	0.2865	0.05157	6.75807
(700004679) Compression Fittings, Size - Tee 32 mm x 1	62.07	7.45	69.52	3.1035	0.55863	73.18213

(700004680) Goof Plug / Dripper Plug, Size - -	1	0.12	1.12	0.05	0.009	1.179
(700004681) Crushed Sand for Sand Filter, Size - -	24	2.88	26.88	1.2	0.216	28.296
(700004682) Service Saddle, Size - Service Saddle 63 mm	104.55	12.55	117.1	5.2275	0.94095	123.2685
(700004683) Service Saddle, Size - Service Saddle 63 mm x 1/2	69.18	8.3	77.48	3.459	0.62262	81.56162

(700004684) Service Saddle, Size - Service Saddle 63 mm x 1	92.97	11.16	104.13	4.6485	0.83673	109.6152
(700004685) Service Saddle, Size - Service Saddle 63 mm x 1 1/4	98.99	11.88	110.87	4.9495	0.89091	116.7104
(700004686) Service Saddle, Size - Service Saddle 63 mm x 3/4	83.24	9.99	93.23	4.162	0.74916	98.14116
(700004687) Service Saddle, Size - Service Saddle 75 mm	131.43	15.77	147.2	6.5715	1.18287	154.9544

(700004688) Service Saddle, Size - Service Saddle 75 mm x 1/2	72.43	8.69	81.12	3.6215	0.65187	85.39337
(700004689) Service Saddle, Size - Service Saddle 75 mm x 1	94.05	11.29	105.34	4.7025	0.84645	110.889
(700004690) Service Saddle, Size - Service Saddle 75 mm x 1.5	72.43	8.69	81.12	3.6215	0.65187	85.39337
(700004691) Service Saddle, Size - Service Saddle 75 mm x 1.25	131.43	15.77	147.2	6.5715	1.18287	154.9544

(700004692) Service Saddle, Size - Service Saddle 90 mm	191.18	22.94	214.12	9.559	1.72062	225.3996
(700004693) Service Saddle, Size - Service Saddle 90 mm x 1/2	84.32	10.12	94.44	4.216	0.75888	99.41488
(700004694) Service Saddle, Size - Service Saddle 90 mm x 0.75	81.08	9.73	90.81	4.054	0.72972	95.59372
(700004695) Service Saddle, Size - Service Saddle 90 mm x 1	110.26	13.23	123.49	5.513	0.99234	129.9953

(700004696) Service Saddle, Size - Service Saddle 90 mm x 1.25	148.1	17.77	165.87	7.405	1.3329	174.6079
(700004697) Service Saddle, Size - Service Saddle 90 mm x 1.5	191.18	22.94	214.12	9.559	1.72062	225.3996
(700004698) Service Saddle, Size - Coupler 50 mm	25.45	3.05	28.5	1.2725	0.22905	30.00155
(700004699) Service Saddle, Size - Coupler 63 mm	31.45	3.77	35.22	1.5725	0.28305	37.07555

(700004700) Service Saddle, Size - Coupler 75 mm	53.85	6.46	60.31	2.6925	0.48465	63.48715
(700004701) Service Saddle, Size - Coupler 90 mm	88.13	10.58	98.71	4.4065	0.79317	103.9097
(700004702) Service Saddle, Size - Tee 50 mm	75	9	84	3.75	0.675	88.425
(700004703) Service Saddle, Size - Tee 63 mm	85	10.2	95.2	4.25	0.765	100.215

(700004704) Service Saddle, Size - Tee 75 mm	122.6	14.71	137.31	6.13	1.1034	144.5434
(700004705) Service Saddle, Size - Tee 90 mm	198.35	23.8	222.15	9.9175	1.78515	233.8527
(700004706) Service Saddle, Size - MTA 50 MM	35.8	4.3	40.1	1.79	0.3222	42.2122
(700004707) Service Saddle, Size - MTA 63 MM	42.65	5.12	47.77	2.1325	0.38385	50.28635

(700004708) Service Saddle, Size - MTA 75 MM	57.7	6.92	64.62	2.885	0.5193	68.0243
(700004709) Service Saddle, Size - MTA 90 MM	89.2	10.7	99.9	4.46	0.8028	105.1628
(700004710) Service Saddle, Size - FTA 50 MM	43.55	5.23	48.78	2.1775	0.39195	51.34945
(700004711) Service Saddle, Size - FTA 63 MM	49.14	5.9	55.04	2.457	0.44226	57.93926

(700004712) Service Saddle, Size - FTA 75 MM	79.85	9.58	89.43	3.9925	0.71865	94.14115
(700004713) Service Saddle, Size - FTA 90 MM	96.6	11.59	108.19	4.83	0.8694	113.8894
Riser Pipe-GI ¾” Diameter x 100CM	126.67	15.2	141.87	6.3335	1.14003	149.3435
Riser Pipe-GI ¾” Diameter x 75CM	100	12	112	5	0.9	117.9

Sprinkler Bend- QAC 90 Degree 63 mm with Coupler	162	19.44	181.44	8.1	1.458	190.998
Sprinkler Bend- QAC 90 Degree 75 mm with Coupler	222	26.64	248.64	11.1	1.998	261.738
Sprinkler Bend- QAC 90 Degree 90 mm with Coupler	305	36.6	341.6	15.25	2.745	359.595
Sprinkler End plug-QAC HDPE 63 mm	65	7.8	72.8	3.25	0.585	76.635

Sprinkler End plug-QAC HDPE 75 mm	86	10.32	96.32	4.3	0.774	101.394
Sprinkler End plug-QAC HDPE 90 mm	108	12.96	120.96	5.4	0.972	127.332
Sprinkler Nozzle- GUN METALS IS 12232 Part-I 3/4" ; Minimum Radius 12 mm	378	45.36	423.36	18.9	3.402	445.662
Sprinkler pipe- QAC HDPE 63 mm x 3.2 kg/cm ²	558	66.96	624.96	27.9	5.022	657.882

Sprinkler pipe- QAC HDPE 75 mm x 2.5 kg/cm2	643	77.16	720.16	32.15	5.787	758.097
Sprinkler pipe- QAC HDPE 75 mm x 3.2 kg/cm2	700	84	784	35	6.3	825.3
Sprinkler pipe- QAC HDPE 90 mm x 2.5 kg/cm2	840	100.8	940.8	42	7.56	990.36
Sprinkler Pump connecting Nipple-QAC 63 mm	162	19.44	181.44	8.1	1.458	190.998

Sprinkler Pump connecting Nipple-QAC 75 mm	270	32.4	302.4	13.5	2.43	318.33
Sprinkler Pump connecting Nipple-QAC 90 mm	317.51	38.1	355.61	15.8755	2.85759	374.3431
Sprinkler saddle with foot Batten - QAC 63 mm with Coupler	243	29.16	272.16	12.15	2.187	286.497
Sprinkler saddle with foot Batten - QAC 75 mm with Coupler	309	37.08	346.08	15.45	2.781	364.311

Sprinkler saddle with foot Batten - QAC 90 mm with Coupler	378	45.36	423.36	18.9	3.402	445.662
Sprinkler Tee- QAC HDPE 63 mm With Coupler	195	23.4	218.4	9.75	1.755	229.905
Sprinkler Tee- QAC HDPE 75 mm With Coupler	313	37.56	350.56	15.65	2.817	369.027
Sprinkler Tee- QAC HDPE 90 mm With Coupler	368	44.16	412.16	18.4	3.312	433.872